


Drawing For Medium Voltage Outdoor Cable Termination Kit Single Core

Maximum Voltage Size	7.2 kV			12 kV			17.5 kV			24 kV			36 kV		
	L	D	A	L	D	A	L	D	A	L	D	A	L	D	A
25	340	8.4	90	450	8.4	90	450	8.4	90	520	8.4	90	720	8.4	90
35	340	13	90	450	13	90	450	13	90	520	13	90	720	13	115
50	340	13	90	450	13	90	450	13	90	520	13	90	720	13	115
70	340	13	90	450	13	90	450	13	90	520	13	90	720	13	115
95	340	13	90	450	13	90	450	13	90	520	13	115	720	13	115
120	340	13	90	450	13	90	450	13	90	520	13	115	720	13	115
150	340	13	115	450	13	115	450	13	115	520	13	115	720	13	115
185	340	13	115	450	13	115	450	13	115	520	13	115	720	13	115
240	340	17	115	450	17	115	450	17	115	520	17	115	720	17	145
300	340	17	115	450	17	115	450	17	115	520	17	115	720	17	145
400	340	21	115	450	21	145	450	21	145	520	21	145	720	21	145
500	340	21	115	450	21	145	450	21	145	520	21	145	720	21	145
630	340	21	145	450	21	145	450	21	145	520	21	145	720	21	145



Outdoor Termination

The number of rain shed needs for each voltage:


Outdoor terminations 7.2 kV needs 1 rain shed
 Outdoor terminations 12-17.5 kV needs 2 rain shed
 Outdoor terminations 24 kV needs 3 rain shed
 Outdoor terminations 36 kV needs 4 rain shed

Dimensions in mm

*** Please Refer To Installation Instructions for More Details**

Drawing For Medium Voltage Indoor Cable Termination Kit Three Core

Maximum Voltage Size	7.2 kV			12 kV			17.5 kV			24 kV			36 kV		
	L	D	A	L	D	A	L	D	A	L	D	A	L	D	A
25	720	8.4	-	720	8.4	-	720	8.4	-	720	8.4	90	720	8.4	90
35	720	13	-	720	13	-	720	13	-	720	13	90	720	13	115
50	720	13	-	720	13	-	720	13	-	720	13	90	720	13	115
70	720	13	-	720	13	-	720	13	-	720	13	90	720	13	115
95	720	13	-	720	13	-	720	13	-	720	13	115	720	13	115
120	720	13	-	720	13	-	720	13	-	720	13	115	720	13	115
150	720	13	-	720	13	-	720	13	-	720	13	115	720	13	115
185	720	13	-	720	13	-	720	13	-	720	13	115	720	13	115
240	720	17	-	720	17	-	720	17	-	720	17	115	720	17	145
300	720	17	-	720	17	-	720	17	-	720	17	115	720	17	145
400	720	21	-	720	21	-	720	21	-	720	21	145	720	21	145
500	720	21	-	720	21	-	720	21	-	720	21	145	720	21	145
630	720	21	-	720	21	-	720	21	-	720	21	145	720	21	145



The number of rain shed needs for each voltage:

Indoor terminations 7.2 kV do not needs rain shed
 Indoor terminations 12-17.5 kV do not needs rain shed
 Indoor terminations 24 kV needs 3 rain shed
 Indoor terminations 36 kV needs 6 rain shed


Dimensions in mm

*** Please Refer To Installation Instructions for More Details**

Drawing For Medium Voltage Outdoor Cable Termination Kit Three Core



Maximum Voltage Size	7.2 kV			12 kV			17.5 kV			24 kV			36 kV		
	L	D	A	L	D	A	L	D	A	L	D	A	L	D	A
25	900	8.4	90	900	8.4	90	900	8.4	90	900	8.4	90	900	8.4	90
35	900	13	90	900	13	90	900	13	90	900	13	90	900	13	115
50	900	13	90	900	13	90	900	13	90	900	13	90	900	13	115
70	900	13	90	900	13	90	900	13	90	900	13	90	900	13	115
95	900	13	90	900	13	90	900	13	90	900	13	115	900	13	115
120	900	13	90	900	13	90	900	13	90	900	13	115	900	13	115
150	900	13	115	900	13	115	900	13	115	900	13	115	900	13	115
185	900	13	115	900	13	115	900	13	115	900	13	115	900	13	115
240	900	17	115	900	17	115	900	17	115	900	17	115	900	17	145
300	900	17	115	900	17	115	900	17	115	900	17	115	900	17	145
400	900	21	115	900	21	145	900	21	145	900	21	145	900	21	145
500	900	21	115	900	21	145	900	21	145	900	21	145	900	21	145
630	900	21	145	900	21	145	900	21	145	900	21	145	900	21	145



The number of rain shed needs for each voltage:


Outdoor terminations 7.2 kV needs 3 rain shed
 Outdoor terminations 12-17.5 kV needs 6 rain shed
 Outdoor terminations 24 kV needs 9 rain shed
 Outdoor terminations 36 kV needs 12 rain shed

Dimensions in mm

* Please Refer To Installation Instructions for More Details

Drawing For Medium Voltage Indoor Cable Termination Kit Single Core

Maximum Voltage Size	7.2 kV			12 kV			17.5 kV			24 kV			36 kV		
	L	D	A	L	D	A	L	D	A	L	D	A	L	D	A
25	300	8.4	-	370	8.4	-	370	8.4	-	450	8.4	90	520	8.4	90
35	300	13	-	370	13	-	370	13	-	450	13	90	520	13	115
50	300	13	-	370	13	-	370	13	-	450	13	90	520	13	115
70	300	13	-	370	13	-	370	13	-	450	13	90	520	13	115
95	300	13	-	370	13	-	370	13	-	450	13	115	520	13	115
120	300	13	-	370	13	-	370	13	-	450	13	115	520	13	115
150	300	13	-	370	13	-	370	13	-	450	13	115	520	13	115
185	300	13	-	370	13	-	370	13	-	450	13	115	520	13	115
240	300	17	-	370	17	-	370	17	-	450	17	115	520	17	145
300	300	17	-	370	17	-	370	17	-	450	17	115	520	17	145
400	300	21	-	370	21	-	370	21	-	450	21	145	520	21	145
500	300	21	-	370	21	-	370	21	-	450	21	145	520	21	145
630	300	21	-	370	21	-	370	21	-	450	21	145	520	21	145



Indoor Termination

The number of rain shed needs for each voltage:

Indoor terminations 7.2 kV do not needs rain shed
 Indoor terminations 12-17.5 kV do not needs rain shed
 Indoor terminations 24 kV needs 1 rain shed
 Indoor terminations 36 kV needs 2 rain shed

Dimensions in mm

*** Please Refer To Installation Instructions for More Details**